L Number	Hits	Search Text	DB	Time stamp
1	34632	((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:41
2	1615	(((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:35
3	467	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat$4) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:38
4	212	(((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat$4) and 707/$.ccls.) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) same (class or instantiat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:36
5	135	(((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat$4) and 707/$.ccls.) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:37
6	675	(((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:38
7	245	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat$4)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:38
8	80	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat$4)) and 707/103$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:43
9	291	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04

10	38	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and 707/103$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:26
11	59	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) same ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:55
12	26	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:02
13	17	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat$4 or modif$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05
14	74	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
15	33870	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
16	355	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05
17	69	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))) and ((sofware or application or program) with code with (updat$4 or modif$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:22
18	6	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and 707/103$.ccls.) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:23
19	74	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:25
20	16	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and programming near2 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:24
21	244	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:24

22	81	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and code same (updat$4 or modif$6) same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:25
23	222	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and (updat$4 or modif$6) same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:26
24	27	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and (updat$4 or modif$6) same (database or (data adj base))) and 707/103$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:26

10	38	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and 707/103$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:43
11	59	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) same ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:55
12	26	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:02
13	17	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat$4 or modif$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05
14	74	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
15	33870	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
16	355	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05
17	69	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat$4 or modif$6) same (database or (data adj base)))) and ((sofware or application or program) with code with (updat$4 or modif$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05